

# Stockyard A Certificated and Surplus

## SURPLUSBUIZEN



Tel. +31 (0) 184 609 346  
 info@pierresteeltrade.nl  
 www.pierresteeltrade.nl

## OFFSHOREBUIZEN



Tel. +31 (0) 184 609 346  
 info@pierresteeltrade.nl  
 www.pierresteeltrade.nl

219 x 4,5	23,8 kg/m	X52		
<b>Lengten: 9-12m</b> <b>spec. 28</b>			Stuks 3	Meter 31,61
219 x 5,0	26,4 kg/m	X52		
<b>Lengten: 9-12m</b> <b>spec. 28</b>			Stuks 13	Meter <b>118,69</b>
219 x 5,0	26,4 kg/m	P235TR1		
Lengten: 12m Spec 29 EN10204:2004 3/1			Stuks 149	Meter <b>1802,90</b>
219 x 5,6	29,5 kg/m	P235TR1		
<b>Lengten: 12m</b> <b>Spec 29 EN10204:2004 3/1</b>			Stuks 112	Meter 1353,14
219 x 8,0	41,6 kg/m	X65		
<b>Lengten: 10-12m</b> <b>spec. 19, 2009</b>			Stuks 16	Meter <b>178,02</b>
219 x 9,0	46,6 kg/m	X52		
<b>Lengten: 9-12m</b> <b>spec. 28</b>			Stuks 1	Meter <b>10,00</b>

273 x 5,0	33,04 kg/m	P235TR1	Stuks	Meter
<b>Lengten: 12m</b> <b>EN10204:2004 3.1 Certificaat</b> <b>spec. 29</b>			4	<b>41,40</b>
273 x 5,2	34,34 kg/m	P235TR1	Stuks	Meter
			19	<b>229,90</b>
273 x 5,6	36,93 kg/m	P235TR1	Stuks	Meter
<b>Lengten: 12m</b> <b>EN10204:2004 3.1 Certificaat</b> <b>spec. 29 + 38</b>			243	<b>2940,30</b>
273 x 6,0	39,51 kg/m	P235TR1	Stuks	Meter
			10	<b>97,26</b>
273 x 6,0	39,51 kg/m	X65	Stuks	Meter
<b>Lengten: 10-12m</b> <b>spec. 16, 2009</b>			25	<b>287,92</b>
273 x 6,0	39,51 kg/m		Stuks	Meter
<b>spec. 8+11</b>			788	<b>9024,40</b>
273 x 6,3	41,43 kg/m	P235TR1	Stuks	Meter
<b>Lengten: 12m</b> <b>EN10204:2004 3.1 Certificaat</b> <b>spec. 29</b>			21	<b>254,10</b>
273 x 7,1	46,56 kg/m	P235TR1	Stuks	Meter
<b>Lengten: 12m</b> <b>EN10204:2004 3.1 Certificaat</b> <b>spec. 29</b>			187	<b>2262,70</b>
273 x 8,0	52,28 kg/m	P235TR1	Stuks	Meter
<b>Lengten: 12m</b> <b>EN10204:2004 3.1</b> <b>spec. 29</b>			160	<b>1933,86</b>
325 x 5,0		Staal20		

		39,46 kg/m		Stuks	Meter
<b>Lengten: 9-12m</b>				5	55,64
<b>spec. 28</b>					
				4	
	325 x 6,0				Staal20
		47,20 kg/m		Stuks	Meter
<b>Lengten: 9-12m</b>				39	369,14
<b>spec. 28</b>					
	325 x 8,0				Staal20
		62,54 kg/m		Stuks	Meter
<b>Lengten: 9-12m</b>				82	1140,94
<b>spec. +28</b>					
	406,4 x 8,0				STaal20
		78,6 kg/m		Stuks	Meter
				6	67,71
	508 x 7,9				X60
		97,4 kg/m			
		API 5L PSL 1		Stuks	Meter
				105	1151,41
	508 x 7,1				X60
		87,7 kg/m			
		API 5L PSL 1		Stuks	Meter
				69	788,42
	508 x 9,7				X60
		119,2 kg/m			
		API 5L PSL 1		Stuks	Meter
				8	91,58
	720 x 8,0				K52
		140,5 kg/m		Stuks	Meter
<b>spec. 13 2009</b>				2	21,47
	720 x 12,0				K42
		209,5 kg/m			

				Stuks	Meter
spec. 13 2009				1	11,23
	720 x 14,0	t		K60	
		243,7 kg/m		Stuks	Meter
spec. 13 2009				6	67,76
	720 x 15,0			K52	
		260,8 kg/m		Stuks	Meter
spec. 13 2009				1	11,05
	720 x 17,5			K52	
		303,2 kg/m		Stuks	Meter
spec. 13 2009				1	11,43
	720 x 20,0			K50	
		345,2 kg/m		Stuks	Meter
spec. 13 2009				1	11,20
	720 x 24,0			K60	
		411,9 kg/m		Stuks	Meter
spec. 13 2009				1	11,57
	820 x 19,0			X56	
		375,3 kg/m		Stuks	Meter
		API 5L PSL 1		29	332,20
spec. 13 2009		INCL Certificering			
	1067 x 11,0			K56	
		286,5 kg/m		Stuks	Meter
spec. 14				63	709,72
	1067 x 20,0			K60/X70	
		516,4 kg/m		Stuks	Meter
spec. 19				1	10,21
	1067 x 25,0			K60/X70	
		642,4 kg/m		Stuks	Meter
spec. 19				18	207,48

spec. 19	1067 x 25,4	652,4 kg/m	X65	Stuks	Meter
				4	44,92
spec. 19	1220 x 14,0	416,4 kg/m	K55	Stuks	Meter
				7	79,45
spec. 19	1220 x 14,2	422,2 kg/m	K60	Stuks	Meter
				1	11,62
spec. 19	1220 x 14,6	434,0 kg/m	K60	Stuks	Meter
				2	22,47
spec. 19	1220 x 15,0	445,7 kg/m	K60	Stuks	Meter
				2	23,00
spec. 19	1220 x 15,4	457,5 kg/m	K60	Stuks	Meter
				2	22,62
spec. 19	1220 x 17,8	527,7 kg/m	K60	Stuks	Meter
				6	68,87
spec. 19	1220 x 21,2	626,7 kg/m	K60	Stuks	Meter
				5	57,40
spec. 19	1220 x 22,0	649,9 kg/m	K60	Stuks	Meter
				1	11,63
spec. 19	1220 x 24,0	707,8 kg/m	SAWL450	Stuks	Meter
				2	22,85

	1219 x 27,0		SAWL450
		793,7 kg/m	
<b>spec. 19</b>			Stuks Meter 12 134,41

	1220 x 27,0		SAWL450
		794,3 kg/m	
<b>spec. 19</b>			Stuks Meter 4 45,82

	1420 x 18,7		K60
		646,2 kg/m	
<b>spec. 17</b>			Stuks Meter 3 34,24

	1420 x 20,0		X70
		690,5 kg/m	
<b>spec. 17</b>			Stuks Meter 2 22,58

	1420 x 20,5		K60
		707,5 kg/m	
<b>spec. 17</b>			Stuks Meter 1 11,38

	1420 x 21,2		X70
		731,3 kg/m	
<b>spec. 17</b>			Stuks Meter 1 11,57

	1420 x 21,6		X70/K60
		744,9 kg/m	
<b>spec. 17</b>			Stuks Meter 14 162,32

	1420 x 21,8		X70
		751,7 kg/m	
<b>spec. 17</b>			Stuks Meter 2 22,92

	1420 x 22,2		X70
		765,2 kg/m	
<b>spec. 17</b>			Stuks Meter 1 11,58

	1420 x 23,0		X70
		792,4 kg/m	
<b>spec. 17</b>			Stuks Meter 3 33,17

	1420 x 23,2		X70
--	-------------	--	-----

		799,1 kg/m			
<b>spec. 17</b>				Stuks 1	Meter 10,88
	1420 x 25,8		887,0 kg/m		X70
<b>spec. 17</b>				Stuks 14	Meter 155,86
	1420 x 26,3		903,9 kg/m		X70
<b>spec. 17</b>				Stuks 1	Meter 11,37
	1420 x 26,4		907,3 kg/m		X70/K60
<b>spec. 17</b>				Stuks 13	Meter 148,89
	1420 x 30,0		1028,3 kg/m		K60
<b>spec. 17</b>				Stuks 1	Meter 12,04
	1420 x 32,0		1095,3 kg/m		X70
<b>spec. 17</b>				Stuks 4	Meter 46,26

## BUISPALEN



**PST**  
**PIERRESTEELTRADE**  
 steel • nonferro • special products

**TE KOOP**

Tel. +31 (0) 184 609 346  
 info@pierresteeltrade.nl  
 www.pierresteeltrade.nl

**Stockyard B  
 Certificated  
 and Surplus**

1020 x 10,0					
		249,1 kg/m			X70

		Stuks	Meter	
		1		11,61

1020 x 15,0				
	371,7 kg/m		X56	
		Stuks	Meter	
		1		11,58

1020 x 15,2				
	376,6 kg/m		X70	
		Stuks	Meter	
		1		11,61

1020 x 16,0				
	396,1 kg/m		X70	
		Stuks	Meter	
		1		11,43

1067 x 14,0				
	363,5 kg/m		X70	
		Stuks	Meter	
		1		11,08

1067 x 20,0				
	516,4 kg/m		X70	
		Stuks	Meter	
		1		11,59

1067 x 31,8				
	811,8 kg/m		X70	
		Stuks	Meter	
		3		34,58

1219 x 27,0				
	793,7 kg/m		SawI450	
		Stuks	Meter	
		2		20,70

1220 x 14,0				
	416,4 kg/m		X60	
		Stuks	Meter	
		3		34,83

1220 x 14,6				
	434,0 kg/m		X70	
		Stuks	Meter	
		2		22,35

1220 x 16,0				
	475,1 kg/m		X60	



Stuks	Meter	
2		22,79

1214,8 x 30,9			
902,1 kg/m	X70		
	Stuks	Meter	
<b>spec 37</b>	3		35,63

## SURPLUSBUIZEN



**PIERRESTEELTRADE**  
steel • nonferro • special products

**TEKOOP**

Tel. +31 (0) 184 609 346  
info@pierresteeltrade.nl  
www.pierresteeltrade.nl

# Stockyard C Certificated and Surplus

457 x 6,3	Spiraal	St37	
70,0 kg/m			
<b>lengten: 12m</b>		Stuks	Meter
<b>spiraal</b>		24	288,00

530 x 7,0			
90,3 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter
		1	9,55

530 x 8,0			
103,0 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter
		16	179,26

530 x 9,0			
115,6 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter
		5	56,78

530 x 10,0			
128,2 kg/m			
		Stuks	Meter

<b>spec. 02 2009</b>	3	34,05
----------------------	---	-------

530 x 11,0 140,8 kg/m	Stuks 4	Meter	43,59
--------------------------	------------	-------	-------

530 x 12,0 153,3 kg/m	Stuks 4	Meter	45,78
--------------------------	------------	-------	-------

530 x 14,0 178,1 kg/m	Stuks 2	Meter	22,63
--------------------------	------------	-------	-------

530 x 14,27 181,5 kg/m	Stuks 14	X60 Meter	158,92
---------------------------	-------------	--------------	--------

530 x 19,0 239,4 kg/m	Stuks 1	Meter	11,49
--------------------------	------------	-------	-------

530 x 22,0 275,6 kg/m	Stuks 2	Meter	22,93
--------------------------	------------	-------	-------

610 x 12,1 178,4 kg/m	Stuks 1	Meter	11,23
--------------------------	------------	-------	-------

610 x 15,9 232,9 kg/m	Stuks 1	Meter	10,58
--------------------------	------------	-------	-------

720 x 8,0 140,5 kg/m	Stuks 18	K55 Meter	204,87
-------------------------	-------------	--------------	--------

720 x 8,7 152,6 kg/m	Stuks 2	K60 Meter	22,46
-------------------------	------------	--------------	-------

720 x 9,0 157,8 kg/m	Stuks 17	Meter	192,74
<b>spec. 02 2009</b>			

720 x 10,0 175,1 kg/m	Stuks 12	Meter	137,06
<b>spec. 02 2009</b>			

720 x 11,0 192,3 kg/m	Stuks 17	Meter	192,96
<b>spec. 02 2009</b>			

720 x 12,0 209,5 kg/m	Stuks 40	Meter	454,84
<b>spec. 02 2009</b>			

720 x 13,0 226,7 kg/m	Stuks 1	Meter	10,98
<b>spec. 02 2009</b>			

720 x 14,0 243,7 kg/m	Stuks 9	Meter	101,34
<b>spec. 02 2009</b>			

720 x 15,0 260,8 kg/m	Stuks 4	Meter	46,10
<b>spec. 02 2009</b>			

720 x 16,0 277,8 kg/m	Stuks 9	Meter	103,03
<b>spec. 02 2009</b>			

720 x 18,0 311,6 kg/m	Stuks 2	Meter	22,90
<b>spec. 02 2009</b>			

720 x 18,7 323,4 kg/m	Stuks 9	Meter	101,60
<b>spec. 02 2009</b>			

720 x 19,0			
328,4 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	5		57,40

762 x 14,3			
263,7 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	2		21,53

813 x 9,5		X60	
188,2 kg/m			
	Stuks	Meter	
	60,00		669,33

813 x 9,5			
188,2 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	26		287,26

813 x 11,9		X60	
235,1 kg/m			
	Stuks	Meter	
	44,00		489,23

813 x 11,9			
235,1 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	4		45,20

813 x 15,9			
312,5 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	1		11,30

820 x 8,0			
160,2 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	2		23,00

820 x 9,0			
180,0 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	5		56,77

820 x 10,0			
199,7 kg/m			

		Stuks	Meter	
<b>spec. 02 2009</b>		6		69,35

	820 x 11,0			
	219,4 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter	
		28		317,66

	820 x 12,0			
	239,1 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter	
		2		23,12

	820 x 14,0			
	278,3 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter	
		3		34,42

	1020 x 10,0			
	249,1 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter	
		2		21,58

	1020 x 10,5			
	261,4 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter	
		3		33,83

	1020 x 11,0		K52	
	273,7 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter	
		3		33,66

	1020 x 12,0		X52	
	298,3 kg/m			
		Stuks	Meter	
		6		68,71

	1020 x 12,0		X60	
	298,3 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter	
		7		78,47

	1020 x 12,5			
	310,6 kg/m			
<b>spec. 02 2009</b>		Stuks	Meter	
		8		91,15

	1020 x 13,0			
	322,8 kg/m			
		Stuks	Meter	

<b>spec. 02 2009</b>	5	55,56
----------------------	---	-------

1020 x 13,5 335,1 kg/m	K55	
	Stuks	Meter
<b>spec. 02 2009</b>	2	22,87

1020 x 14,0 347,3 kg/m	X60	
	Stuks	Meter
	1	11,61

1020 x 14,0 347,3 kg/m	K55	
	Stuks	Meter
<b>spec. 02 2009</b>	5	56,48

1020 x 15,0 371,7 kg/m	K55	
	Stuks	Meter
<b>spec. 02 2009</b>	7	78,17

1020 x 15,2 376,6 kg/m		
	Stuks	Meter
<b>spec. 02 2009</b>	2	21,75

1020 x 15,2 376,6 kg/m	X60	
	Stuks	Meter
	1	10,93

1020 x 15,5 384,0 kg/m		
	Stuks	Meter
<b>spec. 02 2009</b>	1	11,48

1020 x 16,0 396,1 kg/m		
	Stuks	Meter
<b>spec. 02 2009</b>	5	56,81

1020 x 18,0 444,8 kg/m	k55	
	Stuks	Meter
<b>spec. 02 2009</b>	5	54,83

1020 x 18,0 444,8 kg/m	K55	
	Stuks	Meter
<b>spec. 12 2009</b>	19	215,84

1020 x 18,4			
454,5 kg/m			
<b>spec. 12 2009</b>	Stuks	Meter	
	2		22,61

1020 x 18,4		K60	
454,5 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	1		11,12

1020 x 19,0			
469,0 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	2		23,13

1020 x 20,0			
493,2 kg/m			
<b>spec. 12 2009</b>	Stuks	Meter	
	3		33,70

1020 x 21,0			
517,3 kg/m			
<b>spec. 12 2009</b>	Stuks	Meter	
	2		20,77

1020 x 21,0		K60	
517,3 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	5		57,53

1067 x 11,0			
286,5 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	7		78,17

1067 x 15,9		X70	
412,1 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	100		1090,20

1067 x 17,0		X70	
440,2 kg/m			
	Stuks	Meter	

<b>spec. 02 2009</b>		2		23,03
----------------------	--	---	--	-------

	1067 x 19,1		X65	
	493,6 kg/m			
		Stuks	Meter	
<b>spec. 15 2009</b>		21		231,77

	1067 x 20,0			
	516,4 kg/m			
		Stuks	Meter	
<b>spec. 15 2009</b>		5		57,29

	1067 x 21,0			
	541,7 kg/m			
		Stuks	Meter	
<b>spec. 15 2009</b>		7		77,54

	1067 x 25,0			
	642,4 kg/m			
		Stuks	Meter	
<b>spec. 15 2009</b>		12		136,76

	1067 x 25,0		X70	
	642,4 kg/m			
		Stuks	Meter	
<b>spec. 02 2009</b>		1		11,59

	1067 x 25,4		X65	
	652,4 kg/m			
		Stuks	Meter	
<b>spec. 15 2009</b>		9		101,06

	1220 x 12,0		X70	
	357,5 kg/m			
		Stuks	Meter	
<b>spec. 02 2009</b>		6		67,46

	1220 x 14,0		K55	
	416,4 kg/m			
		Stuks	Meter	
<b>+ spec. 15</b>		53		598,30

	1220 x 14,0			
	416,4 kg/m			
		Stuks	Meter	
<b>spec. 02 2009</b>		9		102,53

	1220 x 14,2		X60	
	422,2 kg/m			



			Stuks	Meter	
<b>spec. 02 2009</b>			2		23,19
	1220 x 14,2			X60	
	422,2 kg/m				
<b>+ spec. 15</b>			Stuks	Meter	
			20		229,22
	1220 x 14,6			X60	
	434,0 kg/m				
<b>+ spec. 15</b>			Stuks	Meter	
			34		390,48
	1220 x 15,2			K60	
	451,6 kg/m				
<b>spec. 15</b>			Stuks	Meter	
			15		171,62
	1220 x 16,0				
	475,1 kg/m				
<b>spec. 15</b>			Stuks	Meter	
			14		161,53
	1220 x 16,8			K60	
	498,5 kg/m				
<b>spec. 15</b>			Stuks	Meter	
			5		55,14
	1220 x 17,8			X70	
	527,7 kg/m				
<b>spec. 15</b>			Stuks	Meter	
			5		56,91
	1220 x 19,1				
	565,6 kg/m				
<b>spec. 02 2009</b>			Stuks	Meter	
			1		11,36
	1220 x 19,0			K60	
	562,7 kg/m				
<b>spec. 15</b>			Stuks	Meter	
			1		12,04
	1220 x 21,2			K60	
	626,7 kg/m				
<b>spec. 15</b>			Stuks	Meter	
			10		113,34

1220 x 21,2	K60		
626,7 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	1		11,87

1220 x 22,0	X70		
649,9 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	14		165,39

1220 x 22,0	X70		
649,9 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	6		70,17

1220 x 24,0	K60		
707,8 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	15		172,38

1220 x 27,0	SAWL450		
794,3 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	3		34,44

1420 x 15,7	X70/K60		
543,7 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	4		42,63

1420 x 18,7	X70/K60		
646,2 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	2		20,82

1420 x 18,7	K60		
646,2 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	4		43,65

1420 x 20,0			
690,5 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	1		10,94

1420 x 20,5			
707,5 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	3		34,31

1420 x 21,2	X70		
731,3 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	1		11,59

1420 x 21,6	X70		
744,9 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	1		11,47

1420 x 21,6	K60		
744,9 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	6		69,51

1420 x 24,9			
856,6 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	1		11,32

1420 x 25,8	K60		
887,0 kg/m			
<b>spec. 02 2009</b>	Stuks	Meter	
	3		33,95

1420 x 25,8	K60		
887,0 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	10		114,20

1420 x 26,4	K60		
907,3 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	5		56,41

1420 x 32,0	K60		
1095,3 kg/m			
<b>spec. 15</b>	Stuks	Meter	
	1		11,05

**Missing your size or quality?  
please take contact! Stock and  
possibility's change every day.**